BREAKING _ Major chemical spill reported at grain company in Atchison, Kansas - + KSHB.pdf
CvTVLwfXgAAnn9n_1477065299596_48457251_ver1.0_640_480.jpg
NRC_1162154.pdf
CvTQd6jWAAALc6j.jpg

fyi

From: Ferguson, Doug
Sent: Friday, October 21, 2016 1:23 PM
To: 'Cudmore, David C. (KC) (FBI)' <David.Cudmore@ic.fbi.gov>
Cc: 'Gaonotaiese, Mcclellan H CPT USARMY NG MOARNG (US' <mcclellan.h.gaonotaiese.mil@mail.mil>;
'paul.kirchhoff@sema.dps.mo.gov' <paul.kirchhoff@sema.dps.mo.gov>; Buchholz, Ken <Buchholz.Kenneth@epa.gov>
Subject: Chlorine Release MGP Atchison Kansas

At about 8:30AM on 10/21/2016 a mixture of sodium hypochlorite and sulfuric acid were accidentally mixed together at the MGP Ingredients plant located at 1300 Main Street in Atchison, KS. The mixture resulted in the formation of a chlorine gas plume. Local officials evacuated citizens in the area and about 34 individuals sought treatment for respiratory distress. EPA has dispatched OSC Paul Doherty and START to provide air monitoring assistance. The initial command post of the incident was located at 216 South 10th Street in Atchison, KS. Attempts to contact incident management teams on-site have been unsuccessful. At about 11:30AM on 10/21/2016, the City of Atchison Facebook page stated the air outside was no longer considered a hazard to human health. Missouri office of emergency management, MDNR and the Kansas Department Health and Environment have been contacted.

We did coordinate with the MO CST. I didn't have a good contact for KS CST so I asked the MO CST to pass information to them for me. I am including some attachments you may find to be helpful.

Doug Ferguson, On-Scene Coordinator
U.S. Environmental Protection Agency
11201 Renner Boulevard
Lenexa, Kansas 66219
Phone 913-551-7221
Fax 913-551-9221
ferguson.doug@epa.gov
For 24/7 Emergency Response Spill Line call the National Response Center at 800-424-8802